

# **ANNEX Q**

# **HAZARDOUS MATERIALS & OIL SPILL RESPONSE**

McLennan County and  
All Cities adhering to this plan

---

**Jurisdiction**

# **APPROVAL & IMPLEMENTATION**

## **Annex Q**

### **Hazardous Materials & Oil Spill Response**

\_\_\_\_\_  
Signature Waco/McLennan County EMC

July 21, 2009  
Date

# RECORD OF CHANGES

## Annex Q

### Hazardous Materials & Oil Spill Response

Change #	Date of Change	Entered By	Date Entered

<b>ANNEX Q</b> <b>HAZARDOUS MATERIAL &amp; OIL SPILL RESPONSE</b>
--

<b>I. AUTHORITY</b>
---------------------

**A. Federal**

1. Public Law 96-510, *Comprehensive Environmental Response Compensation and Liability Act of 1980*.
2. Public Law 99-499, *Emergency Planning and Community Right to Know Act of 1986*.
3. 29 CFR 1910.120, *Hazardous Waste Operations and Emergency Response*.
4. 40 CFR 68, *Clean Air Act*.
5. 40 CFR 261, *Resource Conservation and Recovery Act*

**B. State**

1. Texas Health and Safety Code, Chapter 502, *Texas Hazard Communication Act*.
2. Texas Health and Safety Code, Chapter 505, *Manufacturing Facility Community Right-to-Know Act*.
3. Texas Health & Safety Code, Chapter 506, *Public Employer Community Right-to-Know Act*.
4. Texas Health and Safety Code, Chapter 507, *Non-manufacturing Facilities Community Right-to-Know Act*.

**C. Local**

See Basic Plan, Section I.

<b>II. PURPOSE</b>
--------------------

This annex establishes the policies and procedures under which McLennan County and all cities adhering to this plan will operate in the event of a hazardous material incident or oil spill. It defines the roles, responsibilities and organizational relationships of government agencies and private entities in responding to and recovering from an oil spill or incident involving the transport, use, storage, or processing of hazardous material.

<b>III. EXPLANATION OF TERMS</b>
----------------------------------

**A. Acronyms**

CAA	Clean Air Act
CERCLA	Comprehensive Environmental Response, Compensation, and Liability Act of 1980
CHEMTREC	Chemical Transportation Emergency Center
GDEM	Governor's Division of Emergency Management
GLO	General Land Office
DPS	Department of Public Safety
DSHS	Department of State Health Services

EHS	Extremely Hazardous Substances
EMC	Emergency Management Coordinator
EPCRA	Emergency Planning, Community Right-to-Know Act of 1986
ERG	Emergency Response Guide
GLO	General Land Office
HC	Hazardous chemicals
HS	Hazardous substances
ICS	Incident Command System
ICP	Incident Command Post
LEPC	Local Emergency Planning Committee
MSDS	Material Safety Data Sheet
NIMS	National Incident Management System
NRC	National Response Center
NRF	National Response Framework
OSHA	Occupational Safety and Health Administration
PPE	Personal Protective Equipment
PIO	Public Information Officer
RCRA	Resource Conservation and Recovery Act
RMP	Risk Management Plan
RRC	Railroad Commission
RRT	Regional Response Team
SARA III	Superfund Amendments and Reauthorization Act of 1986, Title III (also known as EPCRA)
SERC	State Emergency Response Commission
SERT	State Emergency Response Team
SOC	State Operation Center
SONS	Spill of National Significance
SOP	Standard operating procedures
TCRA	Texas Community Right to Know Act(s)
TCEQ	Texas Commission on Environmental Quality
TXDOT	Texas Department of Transportation
HOTCOG	Heart of Texas Council of Government
CBRNE	Chemical Biological Radiological Nuclear and Explosive

## B. Definitions

1. Accident site. The location of an unexpected occurrence, failure, or loss, either at a regulated facility or along a transport route, resulting in a release of listed chemicals.
2. Acute exposure. Exposures, of a short duration, to a chemical substance that will result in adverse physical symptoms.
3. Acutely toxic chemicals. Chemicals which can cause both severe short term and long term health effects after a single, brief exposure of short duration. These chemicals can cause damage to living tissue, impairment of the central nervous system and severe illness. In extreme cases, death can occur when ingested, inhaled, or absorbed through the skin.
4. CHEM-TEL. Provides emergency response organizations with a 24-hour phone response for chemical emergencies. CHEM-TEL is a private company listed in the Emergency Response Guidebook.

5. CHEMTREC. The Chemical Transportation Emergency Center (CHEMTREC) is a centralized toll-free telephone service providing advice on the nature of chemicals and steps to be taken in handling the early stages of transportation emergencies where hazardous chemicals are involved. Upon request, CHEMTREC may contact the shipper, National Response Center, and manufacturer of hazardous materials involved in the incident for additional, detailed information and appropriate follow-up action, including on-scene assistance when feasible.
6. Cold Zone. The area outside the Warm Zone (contamination reduction area) that is free from contaminants.
7. Extremely hazardous substances (EHS). Substances designated as such by the EPA pursuant to the Emergency Planning and Community Right-to-Know Act (EPCRA). EHS inventories above certain threshold quantities must be reported annually to the SERC, LEPCs, and local fire departments pursuant to Section 312 of EPCRA and Texas community right-to-know acts (TCRAs). EHS releases which exceed certain quantities must be reported to the National Response Center, the SERC, and local agencies pursuant to Section 304 of EPCRA and state regulations. The roughly 360 EHSs, and pertinent reporting quantities, are listed in 40 CFR 355.
8. Hazard. The chance that injury or harm will occur to persons, plants, animals or property.
9. Hazard analysis. Use of a model or methodology to estimate the movement of hazardous materials at a concentration level of concern from an accident site at fixed facility, or on a transportation route to the surrounding area, in order to determine which portions of a community may be affected by a release of such materials.
10. Hazardous chemicals (HC). Chemicals, chemical mixtures, and other chemical products determined by US Occupational Health and Safety Administration (OSHA) regulations to pose a physical or health hazard. No specific list of chemicals exists, but the existence of a Material Safety Data Sheet (MSDS) for a product indicates it is a hazardous chemical. Facilities that maintain more than 10,000 pounds of a HC at any time are required to report inventories of such chemicals annually to the SERC in accordance with TCRAs.
11. Hazardous material (hazmat). A substance in a quantity or form posing an unreasonable risk to health, safety and/or property when manufactured, stored, or transported in commerce. A substance which by its nature, containment, and reactivity has the capability for inflicting harm during an accidental occurrence, characterized as being toxic, corrosive, flammable, reactive, an irritant, or a strong sensitizer and thereby posing a threat to health and the environment when improperly managed. Includes EHSs, HSs, HCs, toxic substances, certain infectious agents, radiological materials, and other related materials such as oil, used oil, petroleum products, and industrial solid waste substances.
12. Hazardous substance (HS). Substances designated as such by the EPA pursuant to the Comprehensive Environmental Response, Compensation, and Liability Act (CERCLA). Facilities, which have more than 10,000 pounds of any HS at any time, are required to report inventories of such substances annually to the SERC in accordance with TCRAs. HS releases above certain levels must be reported to the National Response Center, the SERC, and local agencies pursuant to the CERCLA, Section 304 of EPCRA, and state regulations. The roughly 720 HS and pertinent reporting quantities are listed in 40 CFR 302.4.

13. Hot Zone. The area surrounding a particular incident site where contamination does or may occur. All unauthorized personnel may be prohibited from entering this zone.
14. Incident Commander. The overall coordinator of the response team. Responsible for on-site strategic decision and actions throughout the response phase. Maintains close liaison with the appropriate government agencies to obtain support and provide progress reports on each phase of the emergency response. Must be trained to a minimum of operations level and certified in the Incident Command System.
15. Incident Command System. A standardized on-scene emergency management system specifically designed to provide for the adoption of an integrated organizational structure that reflects the complexity and demands of single or multiple incidents, without being hindered by jurisdictional boundaries. ICS is the combination of facilities, equipment, personnel, procedures, and communications operating within a common organizational structure, designed to aid in the management of resources during incidents. ICS is used for all emergency responses and is applicable to small, as well as, large and complex incidents. ICS is used by various jurisdictions and functional agencies, both public and private, or organized field-level incident management.
16. Incident of National Significance. An actual or potential high-impact event that requires a coordinated and effective response by an appropriate combination of federal, state, local, tribal, non-governmental, and/or private sector entities in order to save lives and minimize danger, and provide the basis for long-term community recovery and prevention activities.
17. National Response Center (NRC). Interagency organization, operated by the US Coast Guard, that receives reports when reportable quantities of dangerous goods and hazardous substances are spilled. After receiving notification of an incident, the NRC will immediately notify appropriate federal response agencies, which may activate the Regional Response Team or the National Response Team.
18. National Incident Management System (NIMS). The system mandated by HSPD-5 that provides a consistent nationwide approach for federal, state, local, and tribal governments; the private sector; and non-governmental organizations to work effectively and efficiently together to prepare for, respond to, and recover from domestic incidents, regardless of cause, size, or complexity, the NIMS includes a core set of concepts, principles, and terminology.
19. On-scene. The total area that may be impacted by the effects of a hazardous material incident. The on-scene area is divided into mutually exclusive on-site and off-site areas.
20. Plume. A vapor cloud formation that has shape and buoyancy. The cloud may be colorless, tasteless, odorless, and may not be visible to the human eye.
21. Regulated facility. A plant site where handling/transfer, processing, and/or storage of chemicals is performed. For the purposes of this annex, regulated facilities (1) produce, use, or store EHSs in quantities which exceed threshold planning quantities or (2) hold one or more HCs in a quantity greater than 10,000 pounds at any time. Facilities that meet either criterion must annually report their inventories of such materials to the SERC, local LEPCs, and the local fire department in accordance with TCRAs.

22. Reportable quantity. The minimum quantity of hazardous material released, discharged, or spilled that must be reported to federal, state, and/or local authorities pursuant to statutes and regulations.
23. Response. The efforts to minimize the hazards created by an emergency by protecting the people, environment, and property and returning the scene to normal pre-emergency conditions.
24. Risk Management Plan (RMP). Pursuant to section 112r of the CAA, facilities that produce, process, distribute or store 140 toxic and flammable substances are required to have a RMP that includes a hazard assessment, accident prevention program, and emergency response program. A summary of the RMP must be submitted electronically to the EPA; it can be accessed electronically by local governments and the public.
25. Spill of National Significance (SONS). A spill or discharge of oil or hazardous material as defined by the National Oil and Hazardous Substance Contingency Plan (NCP) that occurs either in an inland zone or a coastal zone that requires a response effort so complex that it requires extraordinary coordination of Federal, State, Local, and other resources to contain or clean up. Authority to declare a SONS in an inland zone is granted to the EPA Administrator. For discharges in a coastal zone the United States Coast Guard Commandant may declare a SONS. The Department of Homeland Security may classify a SONS as an incident of National Significance.
26. Toxic substances. Substances believed to produce long-term adverse health effects. Facilities which manufacture or process more than 25,000 pounds of any designated toxic substance or use more than 10,000 pounds of such substance during a year are required to report amounts released into the environment annually to the SERC and the EPA. This list of toxic substances covered is contained in 40 CFR 372.
27. Vulnerable Facilities. Facilities which may be of particular concern during an hazmat incident because they:
- a. are institutions with special populations that are particularly vulnerable or could require substantial assistance during an evacuation (schools, hospitals, nursing homes, day care centers, jails),
  - b. fulfill essential population support functions (power plants, water plants, the fire/police/EMS dispatch center), or
  - c. include large concentrations of people (shopping centers, recreation centers)
28. Warm Zone: An area over which the airborne concentration of a chemical involved in an incident could reach a concentration that may cause serious health effects to anyone exposed to the substance for a short period of time.

#### **IV. SITUATION & ASSUMPTIONS**

##### **A. Situation**



1. Hazardous materials are commonly used, transported, and produced in the local area; hence, hazmat incidents may occur here.
2. We have the lead in the initial response to a hazmat incident that occurs within its jurisdiction. Hazmat response resources are listed in Annex M, Resource Management. Our hazmat incident response capability may be summarized as: The Waco Fire Department is the only fully paid department in the County and therefore has the largest resources. The Waco Fire Department is the Regional Hazardous Material Response team for the Heart of Texas Council of Government Region. The Region consists of the following Counties: Bosque, Falls, Freestone, Hill, Limestone and McLennan. The Waco Fire Department is trained at technician level and trained in other aspects of CBRNE response.
3. Although radiological materials are considered hazardous materials in many classification schemes, detailed planning for incidents involving these materials will be covered in Annex D, Radiological Protection, to this plan.
4. Vulnerable facilities potentially at risk from a hazmat release are identified in Appendix 5.
5. Regulated facilities that may create a hazmat risk in the local area are identified in Appendix 6.
6. Hazardous materials transportation routes that may pose a threat to the local area are identified in Appendix 7. McLennan County has no approved DOT hazardous material transportation routes. Various cities within the county have adopted ordinance referencing hazardous materials the routes they take on city streets.
7. Evacuation routes from risk areas surrounding regulated facilities are described in Appendix 8.
8. Pursuant to the EPCRA, a local fire chief has the authority to request and receive information from regulated facilities on hazardous material inventories and locations for planning purposes and may conduct an on-site inspection of such facilities.
9. If we are unable to cope with an emergency with our own resources and those available through mutual aid, the State may provide assistance. The Texas Disaster Act provides that when cities require additional resources, they must first request assistance from their county before making a request to the State. When requested by the State, assistance may also be provided by federal agencies.
10. The McLennan County Local Emergency Planning Committee is responsible for providing assistance to the various jurisdictions adhering to this plan in hazardous materials planning.
11. Emergency worker protection standards provide that personnel may not participate in the response to a hazmat incident unless they have been properly trained and are equipped with appropriate personal protective equipment. See Appendix 3.

## **B. Assumptions**

1. An accidental release of hazmat could pose a threat to the local population or environment. A hazardous materials incident may be caused by or occur during another emergency, such as flooding, a major fire, or a tornado.

2. A major transportation hazmat incident may require the evacuation of citizens at any location within McLennan County.
3. Regulated facilities will report hazmat inventories to local fire department(s) and the LEPC.
4. In the event of a hazmat incident, regulated facilities and transportation companies will promptly notify us of the incident and make recommendations to local emergency responders for containing the release and protecting the public.
5. In the event of a hazmat incident, we will determine appropriate protective action recommendations for the public, disseminate such recommendations, and implement them.
6. The length of time available to determine the scope and magnitude of a hazmat incident will impact protective action recommendations.
7. During the course of an incident, wind shifts and other changes in weather conditions may necessitate changes in protective action recommendations.
8. If an evacuation is recommended because of an emergency, typically 80 percent of the population in affected area will relocate voluntarily when advised to do so by local authorities. Some residents will leave by routes other than those designated by emergency personnel as evacuation routes. Some residents of unaffected areas may also evacuate spontaneously. People who evacuate may require shelter in a mass care facility.
9. Hazardous materials entering water or sewer systems may necessitate the shutdown of those systems.
10. The McLennan County Local Emergency Planning Committee (LEPC) will assist the jurisdictions adhering to this plan in preparing and reviewing hazardous material response plans and procedures.

<b>V. CONCEPT OF OPERATIONS</b>
---------------------------------

**A. Mitigation**

Hazardous materials mitigation is undertaken to reduce the threat to lives and property during a hazmat incident. Our hazardous materials mitigation activities include:

1. We have performed a chemical hazard analysis to identify the types and quantities of hazardous materials present in the community at fixed sites or on transportation routes, potential release situations, and possible impact on the local population.
2. We receive and maintain data on the hazmat inventories at local regulated facilities for use in emergency planning. Regulated facilities are identified in Appendix 6 to this annex.

3. We have identified local hazmat transportation routes; these are depicted in Appendix 7 to this annex. McLennan County does not have any designated hazardous material routes. Some cities adhering to this plan have established ordinance that restrict transportation of hazardous material are allowed.
4. The Local Fire Department performs periodic inspection of facilities that produce, use, or store hazardous materials.
5. Within many jurisdictions of the county the jurisdictions planning and zoning boards monitor land use/zoning to ensure local officials are made aware of plans to build or expand facilities that make, use, or store hazardous materials so the potential impact of such facilities can be assessed and minimized.

## **B. Preparedness**

To enhance the preparedness of its emergency responders and the public, we have:

1. Developed and conducted public education programs on chemical hazards and related protective actions.
2. Trained emergency personnel to level commensurate with hazmat response duties and provided appropriate personal protective equipment. See Appendix 3.
3. Identified emergency response resources for hazmat incidents. See Annex M, Resource Management.
4. Developed standard operating procedures for hazmat response and recovery.
5. Obtained hazmat release modeling software program and trained personnel in its use.
6. Met periodically with regulated facilities and known hazmat transporters to ensure that company and local emergency plans are coordinated to the extent possible and that emergency contact information is kept up-to-date.

## **C. Response**

1. Incident Classification. To facilitate the proper incident response, a three level incident classification scheme will be used. The incident will be initially classified by the first responder on the scene and updated by the incident Commander as required.
  - a. Level I – Incident. An incident is a situation that is limited in scope and potential effects; involves a limited area and/or limited population; evacuation or in-place sheltering is typically limited to the immediate area of the incident; and warning and public instructions are conducted in the immediate area, not community-wide. This situation can normally be handled by one or two local response agencies or departments acting under an incident commander, and may require limited external assistance from other local response agencies or contractors.

- b. Level II – Emergency. An emergency is a situation that is larger in scope and more severe in terms of actual or potential effects than an incident. It does or could involve a large area, significant population, or critical facilities; require implementation of large-scale evacuation or in-place sheltering and implementation of temporary shelter and mass care operations; and require community-wide warning and public instructions. You may require a sizable multi-agency response operating under an incident commander; and some external assistance from other local response agencies, contractors, and limited assistance from state and federal agencies.
- c. Level III – Disaster. A disaster involves the occurrence or threat of significant casualties and/or widespread property damage that is beyond the capability of the local government to handle with its organic resources. It involves a large area, a sizable population, and/or critical resources; may require implementation of large-scale evacuation or in-place sheltering and implementation of temporary shelter and mass care operations and requires a community-wide warning and public instructions. This situation requires significant external assistance from other local response agencies, contractors, and extensive state or federal assistance.

## 2. Initial Reporting

- a. It is anticipated that a citizen who discovers a hazardous material incident will immediately notify the local authorities through the 9-1-1 system and provide some information on the incident.
- b. Any public sector employee discovering an incident involving the potential or actual release of hazardous material should immediately notify Dispatch, and provide as much of the information required for the Hazardous Materials Incident Report in Appendix 2 as possible.
- c. Operators of regulated facilities and hazmat transportation systems are required by law to report certain types of hazmat releases. For hazmat incidents occurring at regulated facilities, a facility representative at a regulated site is expected to immediately notify 9-1-1, and provide information for a Hazardous Materials Incident Report; see Appendix 2.

## 3. Notification

Upon receiving a Hazardous Materials Incident report, Dispatch, will initiate responder notifications commensurate with the incident classification (Level I, II, or III) in accordance with its Communications SOP.

## 4. Response Activities

- a. The first firefighter or law enforcement officer on the scene should initiate the incident command system (ICS), establish an incident command post (ICP), and begin taking the actions listed in the General Hazmat Response Checklist in Appendix 1. If the situation requires immediate action to isolate the site and evacuate nearby residents, the first officer on the scene should advise Dispatch, and begin such actions.

- b. As other responders arrive, the senior firefighter will generally assume the role of Incident Commander (IC) for hazmat emergencies and continue taking the actions listed in the General Hazmat Response Checklist.
- c. The EOC may be activated for a Level II (Emergency) response and will be activated for Level III (Disaster) response.
- d. ICP - EOC Interface
  - 1) If the EOC is activated the IC and the EOC shall agree on and implement an appropriate division of responsibilities for the actions listed in the General Hazmat Response Checklist.
  - 2) Regular communication between the Incident Commander and the EOC regarding checklist actions is required to ensure that critical actions are not inadvertently omitted.
- e. Determining Affected Areas and Protective Actions
  - 1) The Incident Commander shall estimate areas and population affected by a hazmat release, and may be assisted by the EOC in that process. Aids for determining the size of the area affected may include:
    - a) *The Emergency Response Guidebook*
    - b) Computerized release modeling using CAMEO or similar software
    - c) Assistance by the responsible party
    - d) Assistance by expert sources such as CHEMTREC or CHEM-TEL
    - e) Assistance by state and federal agencies
  - 2) The Incident Commander shall determine required protective actions for response personnel and the public, and may be aided in determining protective actions for the public by the EOC. See Appendix 3 for emergency responder safety considerations. See Appendix 4 for public protective action information.
  - 3) The Incident Commander will typically provide warning to and implement protective actions for the public in the immediate vicinity of the incident site. The EOC will normally oversee dissemination of warning and implementation of protective actions for the public beyond the immediate incident site and related activities such as traffic control and activation of shelters. Sample public warning and protective action messages are provided in Annex A, Warning. Additional information on public information is provided in Annex I, Emergency Public Information.
- f. Release Containment
  - 1) The responsibility for selecting and implementing appropriate measures to contain the release of hazardous materials is assigned to the Incident Commander, who may obtain advice from the responsible party, state and federal agencies, and appropriate technical experts.
  - 2) Containment methods may include berms, dikes, trenches, booms and other deployable barriers, stream diversion, drain installation, catch basins, patching or

plugging leaking containers, reorientation of containers, freeing of valves, or repackaging.

#### **D. Recovery**

1. When the initial response to an incident has ended, further effort may be required to control access to areas, which are still contaminated, clean up and dispose of spilled materials, decontaminate and restore areas which have been affected, and recover response costs from the responsible party. The recovery process may continue for an extended period.
2. The spiller is, by common law, responsible for all cleanup activities. Most recovery activities will be conducted by contractors, paid for by the responsible party, and overseen by local, state and federal authorities. Methods of cleanup may include excavating, pump and treat, dredging, skimming, dispersion, vacuuming, and biological remediation. Dilution is prohibited as a substitute for treatment.
3. In most jurisdictions the EMC unless the jurisdiction has a environmental officer will be the recovery coordinator to oversee recovery efforts and serve as the local government point of contact with the responsible party, cleanup contractors, and state and federal agencies. For major incidents, it may be desirable to designate a recovery team consisting of a coordinator and representatives of the various departments and local agencies who have an interest in recovery activities.
4. The recovery coordinator or team should:
  - a. Ensure access controls are in place for contaminated areas that cannot be cleaned up immediately.
  - b. Ensure documentation and cost data relating to the incident response is preserved and maintain a list of such records which indicates their locations to facilitate claims against the responsible party and/or reimbursement by the state or federal government.
  - c. Review plans for cleanup and restoration proposed by the responsible party or state or federal agencies and monitor their implementation.
  - d. Monitor the removal and disposition of hazardous materials, contaminated soil and water, and contaminated clothing.
  - e. Review proposed mitigation programs and monitor their implementation.

<b>VI. ORGANIZATION &amp; ASSIGNMENT OF RESPONSIBILITIES</b>
--

#### **A. General**

1. Our normal emergency organization, described in Section VI.A of the Basic Plan and depicted in Attachment 3 to the Basic Plan, will be employed to respond to and recover from incidents involving hazardous materials or oil spills.
2. Effective response to a hazmat incident or oil spill may also require response assistance from the company responsible for the spill and, in some situations, by state and federal

agencies with responsibilities for hazmat spills. Technical assistance for a hazmat incident may be provided by the facility, by state and federal agencies, or industry.

## **B. Assignment of Responsibilities**

### **1. Community Emergency Coordinator**

- a. The EMC shall serve as the Community Emergency Coordinator for hazmat issues, as required by the EPCRA.
- b. The Community Emergency Coordinator will:
  - 1) Coordinate with the emergency coordinators of regulated facilities and vulnerable facilities to maintain the list of regulated facilities in Appendix 6 and the list of vulnerable facilities in Appendix 5.
  - 2) Maintain an accurate and up-to-date hazmat emergency contact roster that provides 24-hour contact information for regulated facilities, local hazmat transportation companies, vulnerable facilities, state and federal hazmat response agencies, and technical assistance organizations such as CHEMTREC. Disseminate this roster to local emergency responders.
  - 3) Ensure each regulated facility and local hazmat transportation company is notified of the telephone number to be used to report hazmat incidents to local authorities.
  - 4) Coordinate the review of regulated facility emergency plans by local officials.

### **2. Fire Department will:**

- a. Carry out the general fire service responsibilities outlined in Annex F (Firefighting).
- b. Normally provide the Incident Commander for a hazardous materials response operation.

### **3. Incident Commander will:**

- a. Establish a command post.
- b. Determine and communicate the incident classification.
- c. Take immediate steps to identify the hazard and pass that information to the Dispatch Center, who should disseminate it to emergency responders.
- d. Determine a safe route into the incident site and advise Dispatch, who should relay that information to all emergency responders.
- e. Establish the hazmat incident functional areas (Hot Zone, Warm Zone, Cold Zone) and staging area.
- f. Initiate appropriate action to control and eliminate the hazard in accordance with SOP.

- 1) If the EOC is not activated, ensure that the tasks outlined in the General Hazmat Response Checklist in Appendix 1 are accomplished.
  - 2) If the EOC is activated for a Level II or III incident, coordinate a division of responsibility between the ICP and EOC for the tasks outlined in the General Hazmat Response Checklist. In general, the ICP should handle immediate response tasks and the EOC should handle support tasks that require extensive planning or coordination.
4. Law Enforcement will:
- a. Maintain a radio-equipped officer at the ICP until released by the Incident Commander.
  - b. Evacuate citizens when requested by the Incident Commander. Advise Dispatch, and the EOC regarding the status of the evacuation. Request assistance from the fire department, as necessary.
  - c. Control access to the immediate incident site for safety and limit entry to authorized personnel only. The Incident Commander will determine the size and configuration of the cordon.
    - (1) Entry of emergency personnel into the incident area should be expedited. The Incident Commander will provide information on safe routes.
    - (2) Persons without a valid reason for entry into the area, and who insist on right of entry, will be referred to the ICP or ranking law enforcement officer on duty for determination of status and/or legal action.
  - d. Perform traffic control in and around the incident site and along evacuation routes.
  - e. Provide access control to evacuated areas to prevent theft.
  - f. Provide assistance in determining the number and identity of casualties.
5. The EMC will:
- a. Coordinate with the Incident Commander and based upon the incident classification and recommendations of the Incident Commander, initiate activation of the EOC through Dispatch.
  - b. If the EOC is activated:
    - 1) Coordinate a specific division of responsibility between the Incident Commander and EOC for the tasks outlined in the General Hazmat Response Checklist. In general, the ICP should handle immediate response tasks and the EOC support tasks that which require extensive planning or coordination.
    - 2) Carry out required tasks
      - a) Provide support requested by the Incident Commander.



- b) For Level II and III incidents, ensure elected officials are notified of the incident and the circumstances causing or surrounding it.
- 6. EMS will:
  - a. Provide medical treatment for casualties.
  - b. Transport casualties requiring further treatment to medical facilities.
- 7. Public Works, Road & Bridge, Utilities Department will:
  - a. Provide heavy equipment and materials for spill containment when requested.
  - b. When requested, provide barricades to isolate the incident site.
  - c. Cooperate with law enforcement to detour traffic around the incident site.
- 8. Water & Sewer Department, Utilities will:
  - a. When notified of an incident, which may impact water or sewer systems, take precautionary actions to prevent damage to those systems.
  - b. If a hazmat incident impacts water or sewer systems, check systems for damage and restore service.
  - c. Where appropriate, provide inputs to the IC or EOC for protective actions for the public relating to water and sewer systems.
- 9. Regulated Facilities/Hazmat Transportation Companies are expected to:
  - a. Provide current emergency contact numbers to local authorities.
  - b. Upon request, provide planning support for accidental release contingency planning by local emergency responders.
  - c. In the event of an incident:
    - 1) Make timely notification of the incident to local officials and other agencies as required by state and federal law.
    - 2) Provide accident assessment information to local emergency responders.
    - 3) Make recommendations to local responders for containing the release and protecting the public.
    - 4) Carry out emergency response as outlined in company or facility emergency plans to minimize the consequences of a release.

- 5) Assist local responders as outlined in mutual aid agreements.
- 6) Provide follow-up status reports on an incident until it is resolved.
- 7) Clean up or arrange for the cleanup of hazmat spills for which the company is responsible.

d. Regulated facilities are also required to:

- 1) Report hazmat inventories to the SERC, LEPC, and local fire department as required by federal and state statutes and regulations.
- 2) Provide MSDSs for hazardous materials produced or stored on-site as required by the LEPC and local fire department.
- 3) Designate a facility emergency coordinator.
- 4) Develop an on-site emergency plan that specifies notification and emergency response procedures and recovery actions. Facilities covered by the Clean Air Act (CAA) 112(r) are required to have a more extensive Risk Management Plan (RMP); a summary of which must be filed with the EPA. Local officials can access that information via the Internet.
- 5) Coordinate the on-site emergency plan with local officials to ensure that the facility emergency plan complements the local emergency plan and does not conflict with it.

10. State Government.

- a. If local resources and mutual aid resources available to respond to a hazmat incident are inadequate or inappropriate, we will request state assistance from the Disaster District Committee (DDC) Chairperson in 6A. The DDC Chairperson is authorized to employ those state resources within the district, except that use of the Texas Military Forces (TMF) requires approval of the Governor. If the state resources within the District are inadequate, the DDC Chairperson will forward our request to the SOC for action.
- b. For major incidents, the SOC will coordinate state assistance that cannot be provided by the DDC and request federal assistance, if required.

c. The TCEQ:

- 1) Serves as the lead state agency for response to most hazardous materials and inland oil spills.
- 2) Serves in an advisory role to the federal on-scene coordinator if federal resources are provided.
- 3) Monitors all cleanup and disposal operations and coordinates with other state agencies.
- 4) Determines the adequacy of containment and cleanup operations.

- 5) If the responsible party cannot be identified or is unable to clean up the spill, the TCEQ may arrange for contractor support funded by the Texas Spill Response Fund.
- d. The DPS provides assistance to local law enforcement in areas of traffic control, evacuation, and protection of property.
- e. The GLO is the lead state agency for response to hazmat and oil spills affecting coastal waters or bodies of water flowing into coastal waters.
- f. The RRC is the lead state agency for response to spills of crude oil and natural gas at exploration and production facilities and from intrastate crude oil and natural gas pipelines.
- g. The TXDOT may be able to provide heavy equipment to assist in containing spills near public roads, but TXDOT personnel are not trained or equipped as hazmat responders.
- h. The state has established the Texas Environmental Hotline, which receives reports of hazmat releases or oil spills and disseminates that information electronically to appropriate state agencies. See Appendix 2, Hazardous Material Incident Report, for the telephone number.

#### 11. Federal Government

- a. A spill or discharge of oil or hazardous materials that occurs either in an inland zone or a coastal zone that requires a response effort so complex that it requires extraordinary coordination of Federal, State, Local, and other resources to contain or clean up, may be determined to be a spill of National Significance (SONS).
- b. Authority to declare a SONS in an inland zone is granted to the EPA Administrator. For discharges in a coastal zone the United States Coast Guard Commandant may declare a SONS. The Department of Homeland Security may classify a SONS as an incident of National Significance.

<b>VII. DIRECTION &amp; CONTROL</b>
-------------------------------------

#### **A. General**

1. The direction and control function for a hazmat incident will be performed by the Incident Commander (IC) or, for major incidents, shared by the IC and the EOC.
2. For Level II or III hazmat incidents, the EOC may be activated and responsibility for various hazmat response tasks will be divided between the ICP and the EOC. Effective exchange of critical information between the EOC and ICP is essential for overall response efforts to succeed.
  - a. The ICP will concentrate on the immediate response at the incident site -- isolating the area, implementing traffic control in the immediate area, employing resources to contain the spill, and formulating and implementing protective actions for emergency responders and the public near the incident site. The Incident Commander will direct the activities of deployed emergency response elements.

- b. The EOC should handle incident support activities and other tasks, which cannot be easily accomplished by the ICP. Such tasks may include notifications to state and federal agencies and utilities, requests for external resources, activation of shelters, coordinating wide area traffic control, emergency public information, and similar activities. The EMC, shall direct operations of the EOC.

## **B. Specific**

1. For hazardous materials incidents, the first fire service or law enforcement officer on-scene will initiate the incident command system. The senior firefighter on the scene will normally serve as the IC. All support units will report to the IC and operate under the direction provided by that position.
2. The IC may recommend evacuation in and around the incident site. County Judge or Mayor should issue recommendations for large-scale evacuation should it become necessary. The recommendations are usually sent out by the designated by the PIO.

<b>VIII. READINESS LEVELS</b>
-------------------------------

### **A. Level 4 - Normal Conditions.**

See the mitigation and preparedness activities in section V.A and V.B, Emergency Activities by Phase.

### **B. Level 3 - Increased Readiness.** Increased Readiness may be appropriate if there is a greater than normal threat of a hazardous material incident. Initiation conditions may include a significant hazardous material shipment transiting our area. Level 3 readiness actions may include:

1. Monitoring the situation.
2. Informing first responders of the situation.
3. Ensuring the hazardous materials response team is aware of the situation and can respond if necessary.

### **C. Level 2 - High Readiness.** High Readiness may be appropriate if there is an increased risk of a hazardous material incident. Level 2 readiness actions may include:

1. Monitoring the situation.
2. Alerting personnel for possible emergency duty and deploying personnel and equipment to investigate incidents.
3. Checking equipment and increasing short-term readiness if possible.
4. Issuing public warning and providing public information if necessary.

### **D. Level 1 - Maximum Readiness.** Maximum readiness is appropriate when there is a significant possibility of a hazardous materials release. Initiating conditions might include an incident at or near a facility manufacturing or using hazardous materials. Level 1 readiness actions may include:

1. Investigating the situation and partially or fully activating the EOC to monitor it.
2. Placing first responders in alert status; placing off-duty personnel on standby.

3. Advising appropriate state and federal agencies.
4. Preparing to issue public warning if it becomes necessary.

## **IX. ADMINISTRATION & SUPPORT**

### **A. Support**

When a hazmat incident exceeds the local capability to resolve we will invoke mutual aid agreements. If these personnel, equipment, and supply resources are insufficient or inappropriate, we will request state assistance through the County EMC from the Disaster District 6A in Waco.

### **B. Hazardous Materials Incident Report**

A form used by, the Incident Commander, and the EOC to collect and disseminate information on a hazmat incident is provided in Appendix 2.

### **C. Resources**

1. General emergency response resources are described in Annex M, Resource Management.
2. Specialized hazmat response resources are also described in Annex M.

### **D. Documentation & Cost Recovery**

The company or individual responsible for the hazmat release is liable for the cost of clean-up, structural and environmental damage, and personal injury or death. The affected jurisdiction will maintain records of personnel and equipment used and supplies expended during the response and recovery phase to support any efforts to recoup costs from the responsible party. If the responsible party cannot be identified, we may be eligible for reimbursement of certain hazmat response costs by the US Environmental Protection Agency (EPA); this program requires timely submission of an application with supporting data to EPA Region IV in Dallas.

### **E. Post Incident Review**

For Level III incidents, the IC will prepare a short report summarizing the incident, including the cause, critique of response actions, damage assessment, expenditures, and conclusions. Resources for this report may include radio logs, tapes, regulated site records, police reports, fire reports, etc. This report will be circulated to all agencies and individuals tasked in this annex.

### **F. Training**

To comply with emergency worker protection standards, department and agency heads will determine requirements for hazardous materials training for emergency response and medical personnel with hazmat incident response duties, develop and disseminate schedules for training, and maintain records of such training.

## **G. Personal Protective Equipment**

To comply with emergency worker protection standards, department heads will prescribe the use of personal protective equipment for emergency response and medical personnel who require it. Appendix 3 contains further information on the equipment required to protect against various types of hazards.

## **H. Plan Testing and Correction**

1. Departmental and interdepartmental drills, tabletop exercises, functional exercises, or full-scale exercises dealing with hazmat incidents shall be included in the local emergency exercise schedule. Where possible, regulated facilities and hazmat transportation companies should be invited to participate in drills and exercises.
2. This annex should be corrected and revised, if required, based on the results of exercise critiques.

## **I. Communications**

1. The fire department and EMS will communicate using 800 mhz, VHF or UHF radios. Law enforcement will communicate on 800, VHF or UHF radios. Public Works will communicate on 800 mhz, VHF or UHF radios. The McLennan County Emergency Manager has an ACU-T with all frequencies and may be deployed to link various agency together.
2. The Emergency Management channel both VHF and 800 or the ACU-T will be used for inter-departmental and interagency communications.

<b>X. ANNEX DEVELOPMENT &amp; MAINTENANCE</b>
---

- A. The Fire Chief and the EMC is responsible for developing and maintaining this annex. Recommended changes to this annex will be forwarded to the EMC.
- B. This annex will be reviewed annually and updated in accordance with the schedule outlined in Section X of the Basic Plan.
- C. Regulated facilities report their hazmat inventories annually to the State Emergency Response Commission, the LEPC, and local fire departments. These reports affect the data in Appendices 5, 6, and 8, which may require more frequent update than the rest of this annex.
- D. All agencies assigned responsibilities in this annex are responsible for developing and maintaining SOPs needed to carry out the tasks assigned in the annex.

<b>XI. REFERENCES</b>
-----------------------

- A. FEMA, *Guide for All-Hazard Emergency Operations Planning* (SLG-101).
- B. National Response Team, *Hazardous Material Emergency Planning Guide* (NRT-1).

C. US Department of Transportation & Transport Canada, *Emergency Response Guidebook*.

## APPENDICES

Appendix 1 .....	General Hazmat Response Checklist
Appendix 2 .....	Hazardous Materials Incident Report
Appendix 3 .....	Response Personnel Safety
Appendix 4 .....	Protective Actions for the Public
Appendix 5 .....	Vulnerable Facilities
Appendix 6 .....	Regulated Facilities
Appendix 7 .....	Hazardous Materials Transportation Routes
Appendix 8 .....	Evacuation Routes for Regulated Facility Risk Areas

### GENERAL HAZMAT RESPONSE CHECKLIST

4	Action Item	Assigned
	1. If the situation requires it, isolate the site and deny access. • Use emergency vehicles, barricades, barrier tape, etc.	
	2. Classify incident, provide basic situation information to dispatch, and identify response resources required. See Incident Classification at the end of this checklist. • Level 1 – Incident • Level II – Emergency • Level III – Disaster	
	3. Dispatch should relay situation information to emergency responders, who should dispatch forces in accordance with their SOPs. If separate fire and law enforcement dispatch centers are used, the dispatch center receiving the initial report should pass it to the other dispatch center.	
	4. Identify hazardous material being released. • Information may be obtained from facility staff, hazmat inventory reports, placards, shipping papers or manifest, container labels, pipeline markers, and similar materials.	
	5. Determine extent of danger to responders and establish requirements for personal protective equipment specialized response equipment. See Response Personnel Safety in Appendix 3.	
	6. Ascertain extent of danger to general public; determine specific areas and special facilities (schools, hospitals, nursing homes, prisons, and other institutions), if any, at risk; see Appendices 5, 6, and 7.	
	7. Develop initial action plan to contain and control the release of hazardous materials.	
	8. Determine appropriate protective actions for the public and special facilities. See Appendix 4. If evacuation is contemplated, check evacuation route status.	
	9. Initiate warning and issue protective action recommendations for the public and Special facilities. • See Appendix 54 for protective action data.	

	<ul style="list-style-type: none"> <li>• See Annex A, Warning, for public notification messages.</li> <li>• See Appendix 8 for evacuation routes for vulnerable facilities.</li> </ul>	
	10. Warn special facilities, provide instructions, and determine requirements for assistance. Provide assistance requested.	
	11. If evacuation is recommended, provide traffic control and be prepared to provide transportation to those who lack it. See Annex E, Evacuation.	
	12. Warn other communities that may be threatened by the hazmat release.	
	13. If possibility exists of casualties that are contaminated with hazardous substances, ensure EMS units and hospitals are so advised.	
	14. If evacuation is recommended, staff and open temporary shelters for evacuees. See Annex C, Shelter & Mass Care	
4	<b>Action Item</b>	<b>Assigned</b>
	15. If the release threatens water or sewer systems or critical facilities such as power plants or airports, advise the companies or departments concerned so that they may take preventative actions. See Annex L, Utilities. <ul style="list-style-type: none"> <li>• If the release impacts water or sewer systems, ensure the public is warned and provided appropriate instructions.</li> </ul>	
	16. Advise the responsible party to report release to state and federal authorities as required by state and federal statutes and regulations. <ul style="list-style-type: none"> <li>• If we are responsible for the release, we must make required notifications to state and federal agencies.</li> <li>• If the responsible party cannot be identified/located, we should make required notifications, making it clear that the responsible party is presently unknown.</li> </ul>	
	17. If on-scene technical assistance is required, request assistance from industry or appropriate state or federal agencies.	
	18. If additional response resources are required request them. <ul style="list-style-type: none"> <li>• Invoke mutual aid agreements.</li> <li>• Summon hazmat response contractor, if one is under contract.</li> <li>• Request assistance from the State through the Disaster District.</li> </ul>	
	19. Continuously document actions taken, resources committed, and expenses incurred. <ul style="list-style-type: none"> <li>• Retain message files, logs, and incident-related documents for use in incident investigation and legal proceedings and to support claims for possible reimbursement from the responsible party or state and federal agencies.</li> </ul>	
	20. Provide updated information on the incident to the public through media releases. See Annex I, Emergency Public Information.	
	21. When the release of hazardous materials is terminated, inspect potentially affected areas to determine if they are safe before ending protective actions for the public or special facilities.	
	22. Advise utilities and critical facilities that were impacted by the incident when the release of hazardous materials is terminated.	
	23. If some areas will require long term cleanup before they are habitable, develop and implement procedures to mark and control access to such areas.	
	24. When it is determined to be safe to end protective actions, advise the public and special facilities and, if an evacuation occurred, manage the return of evacuees.	



	25. Conduct post-incident review of response operations.	
--	--	--

### **Emergency Situation Classifications**

Level 1 – Incident. An incident is a situation that is limited in scope and potential effects; involves a limited area and/or limited population; evacuation or in-place sheltering is typically limited to the immediate area of the incident; and warning and public instructions are conducted in the immediate area, not community-wide. This situation can normally be handled by one or two local response agencies or departments acting under an incident commander, and may require limited external assistance from other local response agencies or contractors.

Level II – Emergency. An emergency is a situation that is larger in scope and more severe in terms of actual or potential effects than an incident. It does or could involve a large area, significant population, or critical facilities; require implementation of large-scale evacuation or in-place sheltering and implementation of temporary shelter and mass care operations; and require community-wide warning and public instructions. You may require a sizable multi-agency response operating under an incident commander; and some external assistance from other local response agencies, contractors, and limited assistance from state and federal agencies.

Level III – Disaster. A disaster involves the occurrence or threat of significant casualties and/or widespread property damage that is beyond the capability of the local government to handle with its organic resources. It involves a large area, a sizable population, and/or critical resources; may require implementation of large-scale evacuation or in-place sheltering and implementation of temporary shelter and mass care operations and requires a community-wide warning and public instructions. This situation requires significant external assistance from other local response agencies, contractors, and extensive state or federal assistance.

## HAZARDOUS MATERIALS INCIDENT REPORT

### INITIAL CONTACT INFORMATION

Check one: \_\_\_\_\_ This is an ACTUAL EMERGENCY \_\_\_\_\_ This is a DRILL/EXERCISE

1. Date/Time of Notification: \_\_\_\_\_ Report received by: \_\_\_\_\_
2. Reported by (name & phone number or radio callsign): \_\_\_\_\_
3. Company/agency and position (if applicable): \_\_\_\_\_
4. Incident address/descriptive location: \_\_\_\_\_
5. Agencies at the scene: \_\_\_\_\_
6. Known damage/casualties (do not provide names over unsecured communications): \_\_\_\_\_

### CHEMICAL INFORMATION

7. Nature of emergency: (check all that apply)  
\_\_\_\_ Leak \_\_\_\_ Explosion \_\_\_\_ Spill \_\_\_\_ Fire \_\_\_\_ Derailment \_\_\_\_ Other  
Description: \_\_\_\_\_
8. Name of material(s) released/placard number(s): \_\_\_\_\_
9. Release of materials:  
\_\_\_\_ Has ended \_\_\_\_ Is continuing. Estimated release rate & duration: \_\_\_\_\_
10. Estimated amount of material which has been released: \_\_\_\_\_
11. Estimated amount of material which may be released: \_\_\_\_\_
12. Media into which the release occurred: \_\_\_\_ air \_\_\_\_ ground \_\_\_\_ water
13. Plume characteristics:
  - a. Direction (Compass direction of plume): \_\_\_\_\_
  - b. Height of plume: \_\_\_\_\_
  - c. Color: \_\_\_\_\_
  - d. Odor: \_\_\_\_\_
14. Characteristics of material (color, smell, liquid, gaseous, solid, etc) \_\_\_\_\_
15. Present status of material (solid, liquid, and gas): \_\_\_\_\_
16. Apparently responsible party or parties: \_\_\_\_\_

### ENVIRONMENTAL CONDITIONS

17. Current weather conditions at incident site:  
Wind From: \_\_\_\_\_ Wind Speed (mph): \_\_\_\_\_ Temperature (F): \_\_\_\_\_  
Humidity (%): \_\_\_\_\_ Precipitation: \_\_\_\_\_ Visibility: \_\_\_\_\_
18. Forecast: \_\_\_\_\_
19. Terrain conditions: \_\_\_\_\_

**HAZARD INFORMATION**  
(From ERG, MSDS, CHEMTREC, or facility)

20. Potential hazards: \_\_\_\_\_
21. Potential health effects: \_\_\_\_\_
22. Safety recommendations: \_\_\_\_\_
- Recommended evacuation distance: \_\_\_\_\_

**IMPACT DATA**

23. Estimated areas/ populations at risk: \_\_\_\_\_
24. Special facilities at risk: \_\_\_\_\_
25. Other facilities with Hazmat in area of incident: \_\_\_\_\_

**PROTECTIVE ACTION DECISIONS**

26. Tools used for formulating protective actions
- \_\_\_\_\_ a. Recommendations by facility operator/responsible party
  - \_\_\_\_\_ b. *Emergency Response Guidebook*
  - \_\_\_\_\_ c. Material Safety Data Sheet
  - \_\_\_\_\_ d. Recommendations by CHEMTREC
  - \_\_\_\_\_ e. Results of incident modeling (CAMEO or similar software)
  - \_\_\_\_\_ f. Other: \_\_\_\_\_
27. Protective action recommendations:
- \_\_\_\_ Evacuation    \_\_\_\_ Shelter-In-Place    \_\_\_\_ Combination    \_\_\_\_ No Action
- \_\_\_\_ Other \_\_\_\_\_
- Time      Actions Implemented
- \_\_\_\_\_
- \_\_\_\_\_
- \_\_\_\_\_
28. Evacuation Routes Recommended: \_\_\_\_\_

**EXTERNAL NOTIFICATIONS**

29. Notification made to:
- |  |                             |
|--|-----------------------------|
| _____ National Response Center (Federal Spill Reporting)                 | _____ 1-800-424-8802        |
| _____ Environmental Hotline (State Spill Reporting)                      | _____ 1-800-832-8224        |
| _____ CHEMTREC (Hazardous Materials Information)                         | _____ 1-800-424-9300        |
| _____ TCEQ (Most Hazmat spills, except as indicated below)               | _____ 1-512-463-7727        |
|  | _____ local pg(254)750-0613 |
| _____ RRC (Oil/gas spills - production facilities, intrastate pipelines) | _____ (512) 463-6788        |
| _____ TDH/BRC (Radiological incidents)                                   | _____ (512) 458-7460        |
| _____ GLO (Petroleum spills in coastal waters or tributaries)            | _____ 1-800-832-8224        |
| _____ Disaster District 6A   | _____ (254) 759-7165        |
| _____ GDEM State Operations Center (SOC) Austin (24 Hrs)                 | _____ (512) 424-2277        |

30. Other Information: Is the Responsibility of the generator of the spill to notify the SERC Since the TCEQ is the lead agency the SERC will be notified

## RESPONSE PERSONNEL SAFETY

### 1. General Guidelines

Response to hazmat incidents involving skin and respiratory dangers or where the chemical involved is unknown requires responders to follow personal protection levels and procedures outlined in OSHA worker protection standards. The following establishes policies and procedures regarding the personal protection of first responders in the event of a hazardous material incident. Health and safety procedures include the following:

### 2. Medical surveillance

Responders to hazardous material incident will include emergency medical technicians who will be responsible for surveillance of responders working in and around the Hot Zone, for indicators of toxic exposure or acute physical symptoms.

### 3. Hot zone

This is the area where contamination does, or is likely, to occur. All first response personnel entering the Hot Zone must wear prescribed levels of protective equipment commensurate with the hazardous material present. Establish an entry and exit checkpoint at the perimeter of the hot zone to regulate and track the flow of personnel and equipment into and out of the zone and to verify that the procedures established to enter and exit are followed. Closely follow decontamination procedures to preclude inadvertent exposure.

### 4. Personnel Protective Equipment

All personnel entering the Hot Zone, for the purpose of control and containment or otherwise endangered by contamination will have appropriate protective equipment.

a. Require level A protection when the highest level of respiratory, skin, eye, and mucous membrane protection is essential. Level A protective equipment includes:


- (1) Pressure-demand, self-contained breathing apparatus (SCBA) or pressure-demand, air-line respirators.
- (2) Fully encapsulating chemical-resistant suit.
- (3) Coveralls.
- (4) Long cotton underwear (optional).
- (5) Cotton glove liners (optional)
- (6) Chemical-resistant gloves.
- (7) Chemical-resistant boots.
- (8) Hard hat, under suit (head injury hazard area).
- (9) Disposable inner gloves and boot covers.
- (10) 2-way intrinsically safe radio communications.

b. Require level B protection when the highest level of respiratory protection is needed but a lesser level of skin and eye protection is warranted. Level B protection is the minimum level recommended on initial site entries until the hazards are identified and defined by monitoring, sampling, and/or other reliable methods of analysis. Personnel equipment must correspond to those findings. Level B protective equipment includes:

- (1) SCBA or a supplied-air respirator (MSHA/NIOSHA approved).
  - (2) Chemical resistant clothing (splash protection).
  - (3) Long cotton underwear (optional).
  - (4) Coveralls or other disposable clothing.
  - (5) Gloves (outer), chemical resistant.
  - (6) Gloves (inner), chemical resistant.
  - (7) Boot covers (outer), chemical resistant.
  - (8) Hard hat (head injury hazard area).
  - (9) 2-way radio communications.
- c. Require level C protection when the type of airborne substance is known, concentration measured, criteria for using air-purifying respirators met, and skin and eye exposure is unlikely. Perform periodic monitoring of the air. Level C protective equipment includes:
- (1). Air-purifying respirator, full face, canister-equipped, (OSHA/NIOSH approved).
  - (2) Chemical resistant clothing (coveralls, hooded, one or two piece chemical splash suit, or chemical resistant coveralls).
  - (3) Gloves, chemical resistant.
  - (4) Boots (outer) chemical resistant, steel toe and shank.
  - (5) 2-way radio communications.

## 5. Safety Procedures

- a. OSHA worker protection standards require that an on-site safety monitor be assigned during any hazmat incident response. The safety monitor must be trained to the same level of the personnel responding into the Hot Zone.
- b. Personnel entering the Hot Zone area should not proceed until a back up team is ready to respond inside the zone for rescue should any member of the team be injured while responding.
- c. Personnel entering the Hot Zone area should not proceed until the Contamination Control Line has been set up.



## PROTECTIVE ACTIONS FOR THE PUBLIC

### 1. Factors to Consider in Selecting Protective Actions

Among the factors to be considered in determining protective actions for the public are the following:

a. Characteristics of the hazardous material

- (1) degree of health hazard
- (2) amount of material that has been released or is expected to be released
- (3) time of release
- (4) rate of spread

b. Weather conditions, particularly wind direction and speed for airborne hazards

c. Population at risk

- (1) location
- (2) number
- (3) special-needs facilities or populations
- (4) evacuation routes

d. Estimated warning and evacuation times

e. Ability to predict behavior of hazmat release (typically from release modeling software)  
e.g., CAMEO/ALOHA.

### 2. Primary Protective Strategies.

a. The two primary protective strategies used during hazmat incidents are shelter in place and evacuation.

- (1) Shelter in place involves having people shelter in a building and take steps to reduce the infiltration of contaminated outside air. Shelter in place can protect people for limited periods by using the shielding provided by a building's structure to decrease the amount or concentration of hazmat to which they are exposed. With a continuous release, the indoor concentration of hazmat for buildings within the hazmat plume will eventually equal the average outdoor concentration, limiting the effectiveness of this strategy in long term releases.
- (2) Evacuation protects people by relocating them from an area of known danger or potential risk to a safer area or a place where the risk to health and safety is considered acceptable. While evacuation can be very effective in protecting the public, large-scale evacuation can be difficult to manage, time consuming, and resource intensive.



- (3) Shelter in place and evacuation are not mutually exclusive protective strategies. Each strategy may be appropriate for different geographic areas at risk in the same incident. For example, residents within a mile downwind of an incident site may be advised to shelter in place because there is insufficient time to evacuate them, while residents of areas further downwind may be advised to evacuate.

b. Determining Protective Actions. The information that follows is intended to aid in weighing suitable protective actions for the public and special facilities.

(1) Shelter in place may be appropriate when:

- Public education on shelter in place techniques has been conducted.
- Sufficient buildings are available in the potential impact area to shelter the population at risk.
- In the initial stages of an incident, when the area of impact is uncertain.
- A hazmat release is impacting or will shortly impact the area of concern.
- A hazmat release is short term (instantaneous or puff release) and wind is moving vapor cloud rapidly downwind
- Evacuation routes are unusable due to weather or damage or because they pass through a likely hazmat impact area.
- Specialized equipment and personnel needed to evacuate institutions such as schools, nursing homes, and jails is not available.

(2) Evacuation may be appropriate when:

- A hazmat release threatens the area of concern, but has not yet reached it.
- A hazmat release is uncontrolled or likely to be long term.
- There is adequate time to warn and instruct the public and to carry out an evacuation.
- Suitable evacuation routes are available and open to traffic.
- Adequate transportation is available or can be provided within the time available.
- Specialized equipment and personnel needed to evacuate institutions are available.
- The hazmat released is or will be deposited on the ground or structures and remain a persistent hazard.
- The likely impact area includes a large outdoor population and there are insufficient structures for sheltering that population.

### **3. Other Protection Strategies**

a. Protection of Water Systems. A hazmat incident may contaminate ground water supplies and water treatment and distribution systems. Threats to the drinking water supply must be identified quickly and water system operators must be notified in a timely manner in order to implement protective actions. If water supplies are affected, the public must be warned and advised of appropriate protective actions; alternative sources of water will have to be provided.

- b. Protection of Sewer Systems. A hazardous chemical entering the sanitary sewer system can cause damage to a sewage treatment plant. If sewer systems are threatened, facility operators must be notified in a timely manner in order to implement protective actions. If systems are damaged, the public must be warned and advised what to do. It will likely be necessary to provide portable toilets in affected areas.
- c. Relocation. Some hazardous material incidents may contaminate the soil or water of an area and pose a chronic threat to people living there. People may need to move out of the area for a substantial period of time until the area is decontaminated or until natural weathering or decay reduces the hazard.

**4. Disseminating Warning and Protective Action Recommendations.**

- a. The normal means of warning the public of emergencies as described in Annex A of this plan will be used to warn the public of hazmat incidents.
- b. Sample public notification messages for shelter in place and evacuation are provided in Annex A, Warning, with further information in Annex I, Emergency Public Information.

<b>VULNERABLE FACILITIES</b>
------------------------------

For current emergency contact numbers

**CHURCHES**

Holiness Church  
Church No Longer Available

New Zion CME Church  
525 Preston St.  
Waco, TX 76705  
254/753-7100

Saint Peters Church  
762 Old Dallas Highway  
West, TX  
254/849-6112

Tokio Church  
243 Tokio Loop  
Tokio, TX 76691  
254/829-1433

Wesley Chapel Church  
F.M. 1858  
254/829-2735

Compton Church  
Church No longer Available

Austin Avenue Church  
1300 Austin Ave  
254/754-4685

Beverly Hills Church  
4112 Memorial Dr.  
254/756-4425

Brookview Church  
2605 Marrow  
254/753-1047

Central Church  
2925 Connor  
254/754-2407

Cornerstone Church

1601 S Robinson  
254/881-5821

Grace Temple Church  
3825 Bosque  
254/754-2243

Greater Mount Carmel Church  
711 Brook  
254/753-6228

Lovers Leap Church  
301 Bosque  
254/756-0569

Oakwood Church  
Church No Longer Available

Saint Johns Church  
1312 Dallas  
753-6742

St. Josephs Church  
1011 Boston  
254/799-2531

St Paul's Church  
600 E Ward  
254/662-6613

St Paul's Church  
515 Columbus  
254/753-4501

Speight Avenue Church  
6708 North River Crossing  
254/836-0531

Trinity Church  
6125 Bosque  
254/772-4225

## **HOSPITALS/ INSTITUTIONS**

Hillcrest Hospital

I-35.

Waco, TX.

254-202-8755

Providence Health Center

6901 Medical parkway

Waco, TX.

254/751-4000

**MAP OF VULNERABLE FACILITIES**  
**Special Needs Facilities**

**SEE Attached Map**

## REGULATED FACILITIES

For emergency contact numbers for these facilities, see below

### 1. Regulated Facilities

OWNER_NAME	OWNER_ADDR	CITY	STATE	ZIP	PHONE	FACILITY_N	FACILITY_A	CITY	EMER1NAME	EMER1TITLE	EMER1PHONE
BRAZOS ELECTRIC POWER COOPERATIVE INCORPORATED	PO BOX 2585	WACO	TX	76702	(817)750-6500	BRAZOS ELECTRIC POWER COOPERATIVE	2404 LASALLE	WACO	SYSTEM DISPATCHER	SYSTEM DISPATCHER	(254)750-6260
BRUCEVILLE-EDDY WATER SUPPLY	143 WILCOX DRIVE	EDDY	TX	76524	(817)859-5700	EDDY WELL	302 EAGLE DR	EDDY	JAMES L ROMING	UTILITY MGR	(254)859-5700
BRUCEVILLE-EDDY WATER SUPPLY	143 WILCOX DRIVE	EDDY	TX	76524	(817)859-5700	FRIENDLY OAKS PLANT	588 OLD BETHANY ROAD	BRUCEVILLE	JAMES L ROMING	UTILITY MGR	(254)859-5700
BRUCEVILLE-EDDY WATER SUPPLY	143 WILCOX DRIVE	EDDY	TX	76524	(817)859-5700	WESTRIDGE PLANT	1706 THERESA LANE	MOODY	JAMES L ROMING	UTILITY MGR	(254)859-5700
CITY OF HEWITT	PO BOX 610	HEWITT	TX	76643	(254)666-6171	WATER PLANT #4		RURAL	PAUL HOLROYD JR	DIR. OF COMMUNITY SERVICE	(254)666-2447
CITY OF HEWITT	PO BOX 610	HEWITT	TX	76643	(254)666-6171	WATER PLANT #3		RURAL	PAUL HOLROYD JR	DIR. OF COMMUNITY SERVICE	(254)666-2447
CITY OF HEWITT	PO BOX 610	HEWITT	TX	76643	(254)666-6171	WATER PLANT #1	103 HEWITT DRIVE	HEWITT	PAUL HOLROYD JR	DIR. OF COMMUNITY SERVICE	(254)666-2447
CITY OF HEWITT	PO BOX 610	HEWITT	TX	76643	(254)666-6171	WATER PLANT #5	750 RITCHIE ROAD	HEWITT	PAUL HOLROYD JR	DIR. OF COMMUNITY SERVICE	(254)666-2447
CITY OF HEWITT	PO BOX 610	HEWITT	TX	76643	(254)666-6171	WATER PLANT #2	702 MCLEMORE CIRCLE	HEWITT	PAUL HOLROYD JR	DIR. OF COMMUNITY SERVICE	(254)666-2447
CITY OF WEST	PO BOX 97	WEST	TX	76691	(254)826-5351	SHED #2 AT WELL #2	207 W PINE STREET	WEST	ALBERT MATUS	DIR OF PUBLIC SAFETY	(254)826-3081
CITY OF WEST	PO BOX 97	WEST	TX	76691	(254)826-5351	SHED #5 AT WELL #5	213 W TOKIO ROAD	WEST	ALBERT MATUS	DIR OF PUBLIC SAFETY	(254)826-3081
CITY OF WEST	PO BOX 97	WEST	TX	76691	(254)826-5351	SHED #3 AT WELL #3	510 SHOOK STREET	WEST	ALBERT MATUS	DIR OF PUBLIC SAFETY	(254)826-3081
CITY OF WEST	PO BOX 97	WEST	TX	76691	(254)826-5351	SHED #6 AT WELL #6	410 HAVEN STREET	WEST	ALBERT MATUS	DIR OF PUBLIC SAFETY	(254)826-3081
CITY OF WEST	PO BOX 97	WEST	TX	76691	(254)826-	SHED #4 AT WELL	308 W PEACH	WEST	ALBERT	DIR OF PUBLIC	(254)826-3081

CITY OF WEST	PO BOX 97	WEST	TX	76691	5351 (254)826-5351	#4 SHED #7 AT WELL #7	STREET 12116 HERITAGE PKWY	WEST	MATUS ALBERT MATUS	SAFETY DIR OF PUBLIC SAFETY	(254)826-3081
DUPUY OXYGEN & SUPPLY COMPANY INC	PO BOX 7833	WACO	TX	76714	(254)772-3460	ALAMO STEEL COMPANY	321 OLD DALLAS ROAD	WACO	CARY DUPUY	VICE PRESIDENT	(254)772-3460
DUPUY OXYGEN & SUPPLY COMPANY INC	PO BOX 7833	WACO	TX	76714	(254)772-3460	STRUDISTEEL DIVISION OF SCHULTZ INDUSTRI	131 AVA DRIVE	HEWITT	CARY DUPUY	VICE PRESIDENT	(254)772-3460
DUPUY OXYGEN & SUPPLY COMPANY INC	PO BOX 7833	WACO	TX	76714	(254)772-3460	MANITOU NORTH AMERICAN	6401 IMPERIAL DRIVE	WACO	CARY DUPUY	VICE PRESIDENT	(254)772-3460
DUPUY OXYGEN & SUPPLY COMPANY INC	PO BOX 7833	WACO	TX	76714	(254)772-3460	DUPUY OXYGEN & SUPPLY COMPANY, INC,	120 SW LOOP 340	WACO	CARY DUPUY	VICE PRESIDENT	(254)772-3460
DUPUY OXYGEN & SUPPLY COMPANY INC	PO BOX 7833	WACO	TX	76714	(254)772-3460	VANTRAN INDUSTRIAL, INC	7711 IMPERAIL DRIVE	WACO	CARY DUPUY	VICE PRESIDENT	(254)772-3460
ERGON ASPHALT & EMULSIONS INCORPORATED	PO BOX 1639	JACKSON	MO	39215-1639	(601)933-3000	ERGON ASPHALT & EMULSIONS INC	1820 HWY 6 EAST	WACO	JAMES DOUGLAS	TERMINAL MGR	(254)753-5885
NAVASOTA VALLEY ELECTRIC COOPERATIVE INCORPORATED	PO BOX 848	FRANKLIN	TX	77856	(409)828-3232	NAVASOTA VALLEY ELECTRIC COOPERATIVE, IN	117 NORTH MAIN	MART	JAMES CALHOUN	GENERAL MANAGER	(979)828-3232
ROSS WATER SUPPLY CORPORATION	PO BOX 202	ROSS	TX	76684	(254)829-1289	PUMP HOUSE	1527 ROSS ROAD	ELM MOTT	WILLIAM C KILGO	MGR/OPERATOR	(254)829-1289
ROSS WATER SUPPLY CORPORATION	PO BOX 202	ROSS	TX	76684	(254)829-1289	PUMP HOUSE	334 E TOURS ROAD	ELM MOTT	WILLIAM C KILGO	MGR/OPERATOR	(254)829-1289
SERVION OF WACO	PO BOX 154637	WACO	TX	76715	(817)799-5513	JASIE INC. DBA SERVION OF WACO	601 OPERATIONS RD	WACO	JACK FISHER	PRESIDENT	(254)776-2697
TEMPLE CHEMICAL COMPANY INCORPORATED	PO BOX 427	MOODY	TX	76557	(254)853-2081	TEMPLE CHEMICAL CO., INC	1818 AVENUE D	MOODY	WAYNE L. DAVIS	PRESIDENT	(254)853-2081
TEXAS STATE TECHNICAL COLLEGE AT WACO	3801 CAMPUS DR	WACO	TX	76705	(817)867-4858	TEXAS STATE TECHNICAL COLLEGE	3801 CAMPUS DRIVE	WACO	RHETT REDDELL	CHEIF OF SAFETY	(254)867-4858
TIME MANUFACTURING COMPANY- VERSALIFT DIVISION	7601 IMPERIAL DRIVE	WACO	TX	76712-	(254)399-2187	TIME MANUFACTURING CO	7601 IMPERIAL DR	WACO	LARRY PHARRIS	HUMAN RESOURCES DIR	(254)399-2187
UNITED PARCEL	4200 SAMUELL	MESQUITE	TX	75149-	(972)686-	UNITED PARCEL	5700	WACO	BRUCE	DIST PE MGR	(214)353-1297



SERVICE PENSKE TRUCK LEASING CO L P	BLVD P.O. BOX 7635	READING	PA	19603- 7635	2030 (610)775- 6406	SERVICE INC PENSKE TRUCK LEASING CO LP	FRANKLIN 1900 S LOOP 340	WACO	Kawecki DIST MGR	DIST MGR	(871)156-6936
CITY OF CRAWFORD	PO BOX 7	CRAWFORD	TX	76638- 76638	(817)486- 2125	WELL #1		CRAWFORD	DAVID C POSTEN	CERTIFIED CHIEF OPERATOR	(254)486-2125
CITY OF CRAWFORD	PO BOX 7	CRAWFORD	TX	76638- 76638	(817)486- 2125	SWTP		CRAWFORD	DAVID C POSTEN	CERTIFIED CHIEF OPERATOR	(254)486-2125
CITY OF CRAWFORD	PO BOX 7	CRAWFORD	TX	76638- 76638	(817)486- 2125	WELL #2		CRAWFORD	DAVID C POSTEN	CERTIFIED CHIEF OPERATOR	(254)486-2125
GHOLSON WATER SUPPLY CORPORATION	563 RIVER RD	WACO	TX	76705- 76705	(254)829- 2907	WELL #1	2630 CLATER POWELL ROAD	WACO	E B WILEY JR	PRES	(254)829-1560
PURE WATER SUPPLY CORPORATION	PO BOX 154414	WACO	TX	76715- 4414	(254)836- 0488	PURE WATER SUPPLY CORP	1260 LINCOLN CITY ROAD	ELM MOTT	BARRY HAND	OPERATOR	(254)822-1737
HILCO ELECTRIC COOPERATIVE INC	PO BOX 127	ITASCA	TX	76055- 76055	(800)338- 6425	PLANT #1	12619 OLD DALLAS ROAD	WEST	DEBRA COLE	MGR	(800)338-6425
HILCO ELECTRIC COOPERATIVE INC	PO BOX 127	ITASCA	TX	76055- 76055	(800)338- 6425	PLANT #2	984 MELGREN ROAD	WEST	DEBRA COLE	MGR	(800)338-6425
HILCO ELECTRIC COOPERATIVE INC	PO BOX 127	ITASCA	TX	76055- 76055	(800)338- 6425	PLANT #3	10859 HERITAGE PARKWAY	WEST	DEBRA COLE	MGR	(800)338-6425
MCLENNAN COUNTY WATER CONTROL & IMPROVEMENT #2	PO BOX 116	ELM MOTT	TX	76640- 76640	(254)829- 1824	MCLENNAN CO. W.C.I.D. #2	533 NORTH KATY ROAD	ELM MOTT	RONALD CANTRELL	PRESIDENT OF BOARD	(254)829-1824
MCLENNAN COUNTY WATER CONTROL & IMPROVEMENT #2	PO BOX 116	ELM MOTT	TX	76640- 76640	(254)829- 1824	MCLENNAN CO. W.C.I.D. #2	314 WEST ELM MOTT DRIVE	ELM MOTT	RONALD CANTRELL	PRESIDENT OF BOARD	(254)829-1824
MCLENNAN COUNTY WATER CONTROL & IMPROVEMENT #2	PO BOX 116	ELM MOTT	TX	76640- 76640	(254)829- 1824	MCLENNAN CO. W.C.I.D. #2	279 APACHE DRIVE	ELM MOTT	RONALD CANTRELL	PRESIDENT OF BOARD	(254)829-1824
MCLENNAN COUNTY WATER CONTROL & IMPROVEMENT #2	PO BOX 116	ELM MOTT	TX	76640- 76640	(254)829- 1824	MCLENNAN CO. W.C.I.D. #2	390 WILLOWDALE LANE	ELM MOTT	RONALD CANTRELL	PRESIDENT OF BOARD	(254)829-1824
MCLENNAN COUNTY WATER CONTROL & IMPROVEMENT #2	PO BOX 116	ELM MOTT	TX	76640- 76640	(254)829- 1824	MCLENNAN CO. W.C.I.D. #2	566 SOUTH CHARLES	ELM MOTT	RONALD CANTRELL	PRESIDENT OF BOARD	(254)829-1824
ADJUTANT GENERALS DEPARTMENT	PO BOX 5218	AUSTIN	TX	78763- 5218	(512)465- 5629	WACO OMS #33/ARMORY	2120 NORTH NEW ROAD	WACO	CW2 MICHAEL KELINSKI	INSTALLATION COORD	(254)776-1373
PACKAGING CORPORATION OF AMERICA	1900 WEST FIELD COURT	LAKE FOREST	IL	60045- 60045	(888)828- 2850	PACKING CORPORATION OF AMERICA	9200 OLD MCGREGOR ROAD	WACO	SHEILA HANCOCK	EH & S MANAGER	(254)776-8890

WEYERHAEUSER COMPANY	PO BOX 9777	FEDERAL WAY	WA	98063- 9777	(253)924- 2345	BARDCOR CORP.- A WEYERHAEUSER BUSINESS	1001 WEBSTER AVE	WACO	MARTY MITCHELL	GENERAL MANAGER	(254)752-6566
TEXAS HYDRUALICS	PO BOX 5660	WACO	TX	76708-	(254)756- 6879	PRECISE HARD	6613 N 19TH	WACO	DAVID	GEN MGR	(254)756-6879
CITY OF ROBINSON	111 WEST LYNDALE	ROBINSON	TX	76706- 5619	(254)662- 5140	WELL 3	221 GREENBRIAR	ROBINSON	GREG HOBBS	WATER UTILITY DIR	(254)662-5140
CITY OF ROBINSON	111 WEST LYNDALE	ROBINSON	TX	76706- 5619	(254)662- 5140	WATER TREATMENT PLANT	930 E TINSLEY	ROBINSON	GREG HOBBS	WATER UTILITY DIR	(254)662-5140
BOLD SPRINGS WATER SUPPLY CORPORATION	PO BOX 427	WEST	TX	76691-	(254)826- 3947	WELL #2	828 JOHN NORS ROAD	WEST	EDWIN NORS	PRES	(254)826-3574
BOLD SPRINGS WATER SUPPLY CORPORATION	PO BOX 427	WEST	TX	76691-	(254)826- 3947	WELL #1	3051 TOKIO ROAD	WEST	EDWIN NORS	PRES	(254)826-3574
BOLD SPRINGS WATER SUPPLY CORPORATION	PO BOX 427	WEST	TX	76691-	(254)826- 3947	WELL #3	3025 TOKIO ROAD	WEST	EDWIN NORS	PRES	(254)826-3574
KOCH PIPELINE COMPANY, L.P.	8606 INTERSTATE HIGHWAY 37	CORPUS CHRISTI	TX	78409-	(361)242- 5524	WACO TERMINAL	2017 KENDALL LANE	WACO	JOHN RICHARDSON	TERMINAL MANAGER	(254)756-5442
TYCO HEALTHCARE RETAIL GROUP	4920 FRANKLIN AVENUE	WACO	TX	76710-	(254)741- 2500	TYCO HEALTHCARE RETAIL GROUP	4920 FRANKLIN AVE	WACO	LEE ANN CRAWFORD	SAFETY COORD	(254)741-2521
AGRO DISTRIBUTION LLC MS-0085	PO BOX 54101	ST. PAUL	MN	55164- 0101	(651)481- 2744	AGRO DISTRIBUTION LLC	602 AVENUE B	MOODY	JERRY GEORGE	MGR	(254)709-0730
AGRILLANCE LLC	PO BOX 64089	SAINT PAUL	MN	55164-	(800)535- 4635	AGRILLANCE SERVICE CENTER	602 AVE B	MOODY	KEVIN F BAILEY	MGR	(254)666-5784
WACO METAL FINISHING L-3	1011 HUMMINGBIRD	WACO	TX	76712-	(254)776- 7357	WACO METAL FINISHING	216 SOUTH 24TH STREET	WACO	LARRY D. COHEN	OWNER	(254)776-7357
COMMUNICATIONS INTEGRATED SYSTEMS	7500 MAEHR ROAD	WACO	TX	76715- 4580	(254)799- 5533	L-3/IS (MAEHR ROAD AMF)	7500 MAEHR ROAD	WACO	JERRY PAYNE	FIRE CHIEF	(254)799-9191
TEXAS A&M UNIVERSITY SYSTEM	200 TECHNOLOGY WAY, SUITE 1120	COLLEGE STATION	TX	77845-	(979)458- 6330	TEXAS A&M RESEARCH CENTER AT MCGREGOR	773 AG FARM ROAD	MCGREGOR	DR. DAVID K. LUNT	SUPERINTENDENT	(254)840-3032
SAFETY-KLEEN SYSTEMS	5400 LEGACY DRIVE, CLUSTER II, BUILDING	PLANO	TX	75024-	(972)265- 2000	SAFETY-KLEEN SYSTEMS, INC	22006 WOODWAY DRIVE	WACO	MIKE TEMPLIN	BRANCH GENERAL MANAGER	(254)772-4419
CONNALLY INDEPENDENT SCHOOL DISTRICT	200 CADET WAY	WACO	TX	76705-	(254)296- 6460	CONNALLY ISD	200 CADET WAY	WACO	BEN SAAGE	ASSOC. SUPT	(254)296-6414



## HAZARDOUS MATERIALS THREAT MAP - REGULATED FACILITIES

Refer to EHS facilities map

## HAZARDOUS MATERIALS TRANSPORTATION ROUTES

The County Does not have any Hazardous material transpiration routes. We have included information gathered form our hazmat survey of the largest thoroughfares through the county

### 1. Highways

#### 3.3 Truck Flow

By using the data of the survey we can identify what hazardous materials are transported along which highways. Although our intentions for the survey were not to identify road traffic usage, the following results were observed.

##### 1. Site 1:Highway 84 East at Aviation Pkwy.

A total of 76 vehicles were observed during the data collection process. Traffic was observed for a total of 17 hours.

Placard number:

1075: 7  
1203: 60  
1268: 6  
1942: 1  
1993: 1  
3257: 1

9% with 1075,  
80% with 1203  
8% with 1268,  
1% with 1993,  
1% with 1942,  
1% with 3257

##### 2. Site 2:Highway 84 West at 317 in McGregor

A total of 64 vehicles were observed during the data collection process. Traffic was observed for a total of 18 hours and 30 minutes.

Placard number:

1075: 10  
1203: 52  
1993: 2

16% with 1075  
81% with 1203  
3% with 1993

### 3. Site 3 Highway 6 West and Hwy 185

A total of 68 vehicles were observed during the data collection process. Traffic was observed for a total of 16 hours and 45 minutes.

Placard number:

1075: 3  
1203: 53  
1268: 2  
1993: 7  
2067: 1  
2187: 1  
3257: 1

1075: 4%  
1203: 78%  
1268: 4%  
1993: 10%  
2067: 1.5%  
2187: 1.5%  
3257: 1.5%

### 4. Site 4 Highway 6 East at Hallsburg

A total of 48 vehicles were observed during the data collection process. Traffic was observed for a total of 13 hours.

Placard number:

1075: 7  
1203: 35  
1268: 2  
1993: 3  
3257: 1

1075: 15%  
1203: 73%  
1268: 4%  
1993: 6%  
3257: 2%

### 5. Site 5 Interstate 35 North at exit 345

A total of 78 vehicles were observed during the data collection process. Traffic was observed for a total of 6 hours.

Placard number:

1075: 6  
1203: 56  
1226: 2  
1268: 2  
1977: 8  
1993: 3  
3257: 1

1075: 7%  
1203: 72%  
1226: 3%  
1268: 3%  
1977: 10%  
1993: 4%  
3257: 1%

#### 6. Interstate 35 at South exit 319

A total of 87 vehicles were observed during the data collection process. Traffic was observed for a total of 6 hours.

Placard number:

1075: 16  
1203: 59  
1268: 2  
1968: 1  
1977: 5  
1993: 1  
3257: 3

1075: 18%  
1203: 68%  
1268: 2.3%  
1968: 1.1%  
1977: 6%  
1993: 1.1%  
3257: 3.5%

### 3.4 Statistical Consideration

The field of statistics uses models to predict reality. Because of the nature of random traffic, what is seen at a particular observation location may not necessarily be a good indicator of overall average conditions. For this study the goal was to obtain information of the type

of hazardous materials being transported through McLennan County. This study was not intended to identify the average traffic flow of hazardous material through the county. Although given the duration of the study and various locations from which the information was gathered we should be begin to see a pattern develop.

### **3.5 Apply Results to Purposes**

Over the course of the study there were a total of 77 hours and 15 minutes spent in observation and data gathering. A total of 421 trucks were observed with:

- 74.8 % placard with 1203 for a total of 315.
- 11.6% placard with 1075 for a total of 49.
- 4.03% placard with 1993 for a total of 17.
- 3.3% placard with 1268 for a total of 14.
- 3.0% placard with 1977 for a total of 13.
- 1.6% placard with 3257 for a total of 7.
- 0.47% placard with 1226 for a total of 2.
- 0.23% placard with 1942 for a total of 1.
- 0.23% placard with 1968 for a total of 1.
- 0.23% placard with 2067 for a total of 1.
- 0.23% placard with 2187 for a total of 1.

The data collected shows that on average a placard vehicle passes the sites as follows:

- Site 1 every 13.4 minutes
- Site 2 every 17.3 minutes
- Site 3 every 14.7 minutes
- Site 4 every 16.25 minutes
- Site 5 every 4.6 minutes
- Site 6 every 4.1 minutes

## **2. Railroads**


*Undetermined*



### 3. Pipelines

Pipeline Operator Name	Person to Contact	Entity to Contact	Contact Address	Phone/Fax/Email
CITGO PRODUCTS PIPELINE CO	Mark Smith (Crude and Product Movement Manager)		P. O. Box 3758 6100 S. Yale, Tulsa, OK 74102	Phone: 9184955428 Fax: 9184955435 Email: msmith@citgo.com
EXXONMOBILE PIPELINE CO	Brian Dunphy (Public Affairs)		P. O. Box 2220 800 Bell Street, Houston, TX 77002	Phone: 7136565431 Fax: 7136565593 Email: brian.t.dunphy@exxonmobil.com
KOCH PIPELINE COMPANY, L.P.		Public Relations Department	4111 East 37th St. North, Wichita, KS 67220	Phone: 3168287082 Fax: 3168285739 Email: info@kochpipeline.com
SHELL PIPELINE CO., L.P.		Community Safety Department	P. O. Box 2648, Houston, TX 77252	Phone: 7132415534 Email: glzimmerman@shellopus.com
SUNOCO PIPELINE L.P.	Paul S. Broker (Vice President - Western Area)		907 South Detroit Avenue, Tulsa, OK 74120	Phone: 9185866422 Email: psbroker@sunocologistics.com
TXU FUEL CO	Gary Thigpen (Support Services Manager)		301 South Harwood, Dallas, TX 75201	Phone: 2148752370 Fax: 2148753327 Email: g.thigpen@oncorgroup.com
TXU LONE STAR PIPELINE	Gary Thigpen (Support Services Manager)		301 South Harwood St, Dallas, TX 75201	Phone: 2148752370 Fax: 2148753327 Email: g.thigpen@oncorgroup.com
VALERO LOGISTICS OPERATIONS, L.P	Bill Thompson (Pipeline Safety Coordinator)		One Valero Way, San Antonio, TX 78249	Phone: 2105924692 Fax: 2103704692 Email: bill.thompson@valero.com
VIRGINIA GAS DISTRIBUTION CO.	Barry Buchanan (Engineer)		1096 Ole Berry Dr, Abingdon, VA 24210	Phone: 2766762380 Ext. 205 Fax: 2766195234 Email: bbuc@vgco.com

### HAZARDOUS MATERIALS THREAT MAP - TRANSPORTATION ROUTES



Q-8-6

## **EVACUATION ROUTES FOR REGULATED FACILITY RISK AREAS**

Evacuation routes in this annex are for the risk areas surrounding the regulated facilities described and depicted in Appendix 6.

Evacuations from these facilities and surrounding neighborhoods in “Hot Zones” will be to shelters opened by the impacted City at City Recreation Centers located in Safe Zones.

Routes of evacuation will be from the impacted facility and area of concern to the closest major highway to the designated shelter using U.S. 84 if moving East or West, I-35 if moving North or South and Loop 340 if moving around the perimeter of the City.

*Evacuation Routes will be Determined at the time at the time of the incident. Changing Wind Conditions and road construction will dictate the best evacuation routes at the time.*